

Duro-Last®, Inc.

Roof-Trak®

MSDS Number: 1307 Revision Date: 5/13/2014

Page 1 of 4

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

1

Oscoda Plastics®. Inc. 5585 N. Huron Ave. P. O. Box 189 Oscoda, MI 48750

Vendor

Duro-Last®. Inc. 525 East Morley Drive Saginaw, MI 48601

Contact: Info-Trac Phone: 1-800-535-5053 Email: safety@oscodaplastics.com Web: oscodaplastics.com

Contact: Phone: Email: Web:

1-800-535-5053 safety@duro-last.com

Info-Trac

duro-last.com

Product Name: Roof-Trak® **Revision Date:** 5/13/2014 Version: 003 **MSDS Number:** 1307

Extruded PVC. **Common Name: CAS Number:** Not Applicable.

1307 **Product Code:**

Not Applicable. **EPA Number:** Not Applicable. **RCRA Number: Chemical Family:** Mixture. **Chemical Formula:** Not Applicable. Synonyms: Extruded PVC Sheet.

1307, 1307B, 1308, 1308B, 1350. 1351, 1352, 1353, 1354, 1355, 1356 Internal ID:

Product Use: Roofing Walkway.

2 HAZARDS IDENTIFICATION

Route of Entry: Routes of entry during normal installation procedures may include inhalation, skin contact and eye

contact.

The physical and chemical properties of the material suggests that there is no evidence that this **Target Organs:**

product aggravates an existing medical condition.

If product is used at high temperatures, hydrogen chloride gas may be formed. Use product in well Inhalation:

ventilated areas.

Skin Contact: May cause skin irritation. **Eye Contact:** May cause eye irritation.

Ingestion: Unlikely.



Duro-Last®, Inc.

Roof-Trak®

MSDS Number: 1307 Revision Date: 5/13/2014

Page 2 of 4

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

<u>Components</u> <u>CAS#</u>

Phenoxarsine, 10,10'-oxydi1,2-Benzenedicarboxylic acid, dialkylester, branched & linear
Ethene, Chloro-, homopolymer
Antimony oxide (Sb2O3)

58366
68318423
9002862
1309644

4 FIRST AID MEASURES

Inhalation: Move to fresh air. Aid in breathing if necessary, and get immediate medical attention.

Skin Contact: Wash affected skin area with soap and water. If irritation continues, get medical attention.

Eye Contact: Immediately flush eyes with water for at least 15 minutes. If irritation develops, consult a physician.

Ingestion: Unlikely.

5 FIRE FIGHTING MEASURES

Flash Point: Not Applicable.

LEL: Not Applicable.

UEL: Not Applicable.

In the event of a fire, wear NIOSH approved, positive pressure, self-contained breathing apparatus (SCBA) and full protective clothing. Use dry chemical, foam, water or carbon dioxide to extinguish fire.

Decomposition gases include carbon monoxide, carbon dioxide, and hydrogen chloride gas.

6 ACCIDENTAL RELEASE MEASURES

Not Applicable.

7 HANDLING AND STORAGE

Handling Precautions: Not Applicable.

Storage Requirements: Not Applicable.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:Use product in well ventilated area. **Personal Protective Equip:**Safety glasses and gloves.



Duro-Last®, Inc.

Roof-Trak®

MSDS Number: 1307 Revision Date: 5/13/2014

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Vinyl Sheet.

Physical State: Solid. Odor: Slight vinyl odor. Spec Grav./Density: 1.2 - 1.4Solubility: Insoluble. **Boiling Point:** Greater than 350° F (>177° C). Freezing/Melting Pt.: Not Applicable. Vapor Pressure: Not Applicable. Vapor Density: Not Applicable.

10 STABILITY AND REACTIVITY

Stability:Stable.Conditions to Avoid:Not Applicable.

Materials to Avoid: Strong oxidizing agents.

Hazardous Decomposition: Hydrogen chloride gas, carbon monoxide, and carbon dioxide.

Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

No data is available on this product.

12 ECOLOGICAL INFORMATION

No data is available on this product.

13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with Local, State, and Federal Regulations.

14 TRANSPORT INFORMATION

DOT Class: Not Regulated.

DOT Proper Shipping name: Not Applicable.

DOT Technical Name: Not Applicable.

DOT Hazard Class: Not Regulated.

DOT Hazard Labels: Not Regulated.

DOT Placard(s): Not Applicable.

Emergency Response Guide (ERG): Not Applicable.



Duro-Last®, Inc.

Roof-Trak®

MSDS Number: 1307 Revision Date: 5/13/2014

Page 4 of 4

15

REGULATORY INFORMATION

California Proposition 65 - This product contains Antimony Trioxide, a chemical known by the State of California to cause cancer.

<u>Component</u> <u>CAS# Percentage Codes</u>

*Phenoxarsine, 10,10'-oxydi- 58366 <.05% EHS302, MASS, NJHS, PA

The hazardous components identified in Section 3 ar bound within the PVC matrix of this product and are not expected to be released under normal conditions. These products are considered to be finished articles as per 29CFR1910.1200(c) and therefore exempt from the requirements of this standard.

Regulatory Key Descriptions

EHS302 = Extremely Hazardous Substance
MASS = Massachusetts Hazardous Substances List
NJHS = New Jersey Right-to-Know Hazardous Substances
PA = Pennsylvania Right-to-Know List of Hazardous Substances

16

OTHER INFORMATION

The information and recommendations contained in this Safety Data Sheet (SDS) were compiled from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the SDS was prepared. No warranty, guarantee or representation is made as to the correctness or sufficiency of the information. The user of this product must decide what safety measures are neccessary to safely use this product, either alone or in combination with other products, and determine its environmental regulatory compliance under any Federal or State Laws.